

Peeling Marmalade - "Strawberry Yogurt"

Cleansing

Ref: CL0382

Product Name	INCI Name	%WW	Supplier
A			
		100.00	
Kathon CG	Methylchloroisothiazolinone (and) Methylisothiazolinone	0.08	www.rohmhaas.com
Genapol LRO	Sodium Laureth Sulfate	15.00	www.clariant.com
Floramac Hawaiian Macadamia Oil-Refined	Macadamia Integrifolia Seed Oil	3.00	3.00 www.floratech.com
Strawberry Pearl	Fragrance	0.10	www.duellberg-konzentra.com
Phenonip	Phenoxyethanol (and) Methylparaben (and) Butylparaben (and) Ethylparaben (and) Propylparaben (and) Isobutylparaben	0.10	www.clariant.com
B			
Prestige® Sparkling Green	Mica (and) Titanium Dioxide	1.00	www.sudarshan.com
Water	Aqua	72.52	-
Red 40 (0.5% aqueous solution)	Red 40	1.00	www.spectracolors.com
Cosmedia SP	Sodium Polyacrylate	1.00	www.cognis.com
Xanthan Gum	Xanthan Gum	1.00	www.jungbunzlauer.com
Yogofraiche CQ U/A	Dipropylenglycol (and) Water (and) Yogurt Powder	2.00	www.questintl.com
C			
Microscrub 20PC	Polyethylene	1.00	www.micropowders.com
Cosmospheres PIT-S (Pink 0.5 - 1mm)	Lactose (and) Microcrystalline Cellulose (and) Tocopheryl Acetate (and) Ultramarines (CI 77007) (and) Red 30 (CI 73360) (and) Titanium Red 30 (CI 73360) (and) Titanium Dioxide (CI 77891)	1.40	www.pelletech.com
Florabeads Jojoba Tequila Sunrise 28/60	Jojoba Esters (and) Iron Oxides, Red 30 (and) Talc, Yellow 5 Lake	0.80	www.floratech.com

Sudarshan Chemical Industries Ltd.

Global Head Office:
162 Wellesley Road, Pune
411001, India
Tel : +91 20 260 58 888
Fax : +91 20 260 58 222
e-mail : cosmeticpigments@sudarshan.com

Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,
PO Box 58176, 1040 HD, Amsterdam,
The Netherlands
Tel: +31 (0)20 475 2311
Fax: +31 (0)20 475 2312
e-mail: eu@sudarshan.com

Sudarshan North America Inc.

76 N. Walnut street,
Ridgewood NJ,
USA 07450.
Tel: +1 201 882 2135
Fax: +1 201 882 0157
e-mail: usa@sudarshan.com

Procedure

1. Let Xanthan Gum and Sodium Polyacrylate swell in water of phase B
2. Stir until homogenous
3. Add rest of phase B
4. Add ingredients of phase A one by one and let stir for a few minutes
5. Finally add phase C

Stability

Stable for at least 6 months at RT and 40°C

Sudarshan Chemical Industries Ltd.

Global Head Office:
162 Wellesley Road, Pune
411001, India
Tel : +91 20 260 58 888
Fax : +91 20 260 58 222
e-mail : cosmeticpigments@sudarshan.com

Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,
PO Box 58176, 1040 HD, Amsterdam,
The Netherlands
Tel: +31 (0)20 475 2311
Fax: +31 (0)20 475 2312
e-mail: eu@sudarshan.com

Sudarshan North America Inc.

76 N. Walnut street,
Ridgewood NJ,
USA 07450.
Tel: +1 201 882 2135
Fax: +1 201 882 0157
e-mail: usa@sudarshan.com