

Hair Mascara - "Soft Fire-red"  
Ref: HC0787A

Hair Care

Product Name	INCI Name	%WW	Supplier
<b>A</b>			
Pricerine 9090	Glycerin	2.00	www.croda.com
Veegum HV	Magnesium Aluminium Silicate	0.50	www.rtvanderbilt.com
Klucel G	Hydroxypropylcellulose	0.50	www.herc.com
Water	Aqua	71.2	
<b>B</b>			
Crodacol CS50	Cetearyl Alcohol	5.00	www.croda.com
Antaron V-216	VP/Hexadecene Copolymer	2.80	www.ispcorp.com
Xiameter PMX-200 Silicone Fluid 350cs	Dimethicone	1.30	www.dowcorning.com
Sympatens-ACS/250 G	Ceteareth-25	2.00	www.kolb.ch
<b>C</b>			
Prestige Soft Fire-red	Mica (and) Iron Oxides	14.00	<a href="http://www.sudarshan.com">www.sudarshan.com</a>
Flowering Meadow	Fragrance	0.20	www.bell-europe.com
Germaben II	Propylene Glycol, Diazolidinyl Urea	0.50	www.ispcorp.com

#### Procedure

1. Pre-mix Veegum HV and Klucel G into Pricerine 9090
2. Add water of phase A and stir until uniform
3. Heat phase A and phase B separately to 75°C
4. Add phase B to phase A while stirring
5. Cool down to 45°C and add phase C
6. Stir until uniform

#### Stability

Stable for at least 6 months at RT and 40°C.  
Stable for at least 1 month at 50°C.

#### Sudarshan Chemical Industries Ltd.

Global Head Office:  
162 Wellesley Road, Pune  
411001, India  
Tel : +91 20 260 58 888  
Fax : +91 20 260 58 222  
e-mail : [cosmeticpigments@sudarshan.com](mailto:cosmeticpigments@sudarshan.com)

#### Sudarshan Europe BV

Crystal tower, 24th floor, Orlyplein 10,  
PO Box 58176, 1040 HD, Amsterdam,  
The Netherlands  
Tel: +31 (0)20 475 2311  
Fax: +31 (0)20 475 2312  
e-mail: [eu@sudarshan.com](mailto:eu@sudarshan.com)

#### Sudarshan North America Inc.

76 N. Walnut street,  
Ridgewood NJ,  
USA 07450.  
Tel: +1 201 882 2135  
Fax: +1 201 882 0157  
e-mail: [usa@sudarshan.com](mailto:usa@sudarshan.com)